

U.S. Gear Corporation, 9420 Stony Island Ave., Chicago, IL 60617 -- Phone 888-874-3275

## ***Dana 28, 30, 35, 44***

### **Products By Application**

[American Motors](#)

[Chrysler](#)

Dana 28, 30, 35, 44

[Dana 50, 60, 70, 80](#)

[Ford 7.5, 8.8 IFS, 8.8](#)

[Ford 9", 9.75", 10.25"](#)

[GM 7.25" through 8.25"](#)

[GM 8.5" & 8.6", 8.875"](#)

[GM 9.25" through 11.5"](#)

[Toyota](#)

[Home](#)

[Products](#)

[Torq-Line Light Duty](#)

### **DANA MODEL 28**

R.G. Diameter 6.625"

10 Bolts 3/8 X 24 RH

12 Bolt Cover

Pinion Diameter 1.313" 23

Spline

3.45 & Numerically Lower

3.73 & Numerically Higher

<u>Vehicle Model</u>	<u>Year</u>
BRONCO II FRONT	83-90
RANGER FRONT	83-90 ,93 & UP

<b>OEM DANA 28 RING &amp; PINIONS</b>	
<b>PART #</b>	<b>SPICER #</b>
D28/373F	71730-5X
D28/410F*	707080-4X

\* includes pinion bearings, r.g. bolts, shims, seal, gasket, pinion nut & washer.

---

### **DANA MODEL 30**

R.G. Diameter 7.20"

10 Bolt 3/8 X 24 RH

10 Bolt Cover

Pinion Diameter 1.375" 26 Spline

3.54 & Numerically Lower

3.73 & Numerically Higher

<u>Vehicle Model</u>	<u>Year</u>
AEROSTAR	86-90
BRONCO & U100	67-71
IHC SCOUT F	67-80
JEEP C101 F&R	67-74
CJ5&CJ7 F	67-68
JEEP J10 F	66-88
WAGON.F	67-88
CHEROKEE	86-95
WRANGLER	87-96



<b>OEM DANA 30 RING &amp; PINIONS</b>		
<b>PART #</b>	<b>TEETH</b>	<b>RATIO</b>
23820-1X	46-13	3.54
29244-1X	41-11	3.73
23721-1X	41-10	4.10
23719-1X	41-09	4.56

<b>DANA 30 INSTALLATION COMPONENTS</b>	
<b>PART #</b>	<b>DESCRIPTION</b>
DANA30K	R&P INSTALLATION KIT
DANA30BK	INST. KIT W/ BEARINGS

**DANA 35 REAR AXLE**

R.G. Diameter 7.562"

8 Bolts 3/8 X 24 RH

10 Bolt Cover

Pinion Diameter 1.376" 26 Spline

Case Split (3.07 to 3.31) & (3.55 to 4.56)

<u>Vehicle Model</u>	<u>Year</u>
CHEROKEE REAR	84-97
COMANCHE REAR	86-92
SCRAMBLER REAR	84-92
WRANGLER REAR	84-97
WAGONEER REAR	84-97

**OEM DANA 35 (REAR) RING & PINIONS AND TRAC-LOC**

PART #	SPICER #
D35/355	73386-5X
D35/411	73383-5X
D35/456	73382-5X
D35-TRAC-LOC * 74210X	
* fits 355 & numerically higher.	
DANA35BK (Bearing Kit)	

**DANA MODEL 44 (STANDARD) (60-96)**

R.G. Diameter 8.5"  
10 Bolt 3/8"X 24 RH  
10 Bolt Cover

Pinion Diameter 1.376" 26 Spline  
3.73 & Numerically Lower  
3.92 & Numerically Higher

<u>Vehicle Model</u>	<u>Year</u>
K10,25,30,35,F	60-80
C10 REAR	60-70
W100-350 F	69-96
F100,150 4X4 R	67-78
F150,F250 F	75-90
F100,F150 F	78-90
IHC SCOUT F&R	
IHC VARIOUS	
JEEP VARIOUS	



OEM DANA 44 RING & PINIONS		
PART #	TEETH	RATIO
22106-1X	43-14	3.07
22856-1X	46-13	3.54
22736-1X	41-11	3.73
22745-1X	45-11	4.09
22105-1X	50-11	4.56
23053-1X	44-09	4.89
D44/513 USG T/L	41-08	5.13

**DANA 44 FRONT (62-96)** Pinion Diameter 1.375" 26 Spline  
R.G. Diameter 8.5" 3.73 & Numerically Lower  
10 Bolt 3/8"X 24 RH 3.92 & Numerically Higher

## 10 Bolt Cover

<u>Vehicle Model</u>	<u>Year</u>
BRONCO F	78-96
F100,F150 F	62-96
F250 FRONT	77-90
F350 FRONT	81-86



<b>OEM DANA 44 FRONT RING &amp; PINIONS</b>		
<b>PART #</b>	<b>TEETH</b>	<b>RATIO</b>
28769-1X	42-12	3.50R
24638-1X	46-13	3.54R
24647-1X	41-11	3.73R
24649-1X	45-11	4.09R
D44/456R USG T/L	41-09	4.56R
D44/488R USG T/L	44-09	4.88R
D44/513R USG T/L	41-08	5.13R

<b>DANA 44 INSTALLATION COMPONENTS</b>	
<b>PART #</b>	<b>DESCRIPTION</b>
05-085100	R&P INSTALLATION KIT
05-085115	INST.KIT W/ BEARINGS
15788	PINION SEAL
30185/186	PIN.NUT&WASHER
181120	PINION SHIM SET

Send your questions and comments to: [info@usgear.com](mailto:info@usgear.com)

Copyright © 2006 U.S. Gear

Last modified: 10/18/06