

# Steering Stabilizers

YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
CHEVROLET					
CHEVROLET TRUCK — Avalanche 4 W.D.					
2002-05	4WD Avalanche 1500 Sport Utility Pickup w/Rancho RS6547 System	SINGLE	—	RS5402	RS5545
2002-05	4WD Avalanche 2500 Sport Utility Pickup	SINGLE	—	RS5407	RS5548
2000-05	4WD Avalanche 2500 Sport Utility Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
CHEVROLET TRUCK — Avalanche 2 W.D.					
2002-05	2WD Avalanche 2500 Sport Utility Pickup	SINGLE	—	RS5407	RS5548
2000-05	2WD Avalanche 2500 Sport Utility Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
CHEVROLET TRUCK — Blazer 4 W.D. Compact - Inc. S Models					
1995-00	4WD Blazer w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5401	—
1995-97	4WD Blazer w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1982-94	4WD Blazer (S Models) Mid Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5401	—
1982-94	4WD Blazer (S Models) Mid Size w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
CHEVROLET TRUCK — Blazer 4 W.D. Full Size (K & V Models)					
1992-94	4WD Blazer Full Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97266	RS5401	RS5528
1992-94	4WD Blazer Full Size w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1973-91	4WD Blazer Full Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1969-91	4WD Blazer Full Size	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1969-91	4WD Blazer Full Size - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
CHEVROLET TRUCK — Blazer 2 W.D. Full Size (C Models)					
1969-83	2WD Blazer Full Size	SINGLE	RS97385	RS5402	RS5514
CHEVROLET TRUCK — Pickup (½ Ton) 4 W.D. (Silverado, K & V Models)					
2005	4WD Silverado 1500HD (½ Ton) Crew Cab	SINGLE	—	RS5407	RS5548
1999-05	4WD Silverado 1500 (½ Ton) Pickup w/Rancho RS6545 System	SINGLE	—	RS5402	RS5545
2001-03	4WD Silverado 1500HD (½ Ton) Crew Cab	SINGLE	—	RS5407	RS5548
1988-98	4WD K-1500 (½ Ton) - Inc. Z71 w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97266	RS5401	RS5528
1988-98	4WD K-1500 (½ Ton) - Inc. Z71 w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1988-98	4WD K-1500 (½ Ton) w/Rancho RS6443 System	SINGLE	RS97343	RS5401	RS5543
1988-98	4WD K-1500 (½ Ton) w/Rancho RS6543 System	SINGLE	—	RS5401	—
1987	4WD V-10 (½ Ton)	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1987	4WD V-10 (½ Ton) - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
1987	4WD V-10 (½ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1973-86	4WD K-10 (½ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1967-86	4WD K-10 (½ Ton)	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1967-86	4WD K-10 (½ Ton) - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
1960-72	4WD K-10 (½ Ton)	SINGLE	RS97355	RS5403	RS5509
1958-59	4WD Series III - 3100 (½ Ton)	SINGLE	RS97355	RS5403	RS5509
CHEVROLET TRUCK — Pickup (½ Ton) 2 W.D. (Silverado, C & R Models)					
2005	2WD Silverado 1500HD (½ Ton) Crew Cab	SINGLE	—	RS5407	RS5548
2001-03	2WD Silverado 1500HD (½ Ton) Crew Cab	SINGLE	—	RS5407	RS5548
1988-98	2WD C-1500 (½ Ton)	SINGLE	RS97267	RS5406	RS5536
1987	2WD R-10 (½ Ton)	SINGLE	RS97385	RS5402	RS5514
1967-86	2WD C-10 (½ Ton)	SINGLE	RS97385	RS5402	RS5514
1950-59	2WD Series I, II, III - 3100 (½ Ton)	SINGLE	RS97345	RS5402	RS5508
CHEVROLET TRUCK — Pickup (¾ Ton) 4 W.D. (Silverado, K & V Models)					
2001-05	4WD Silverado 2500HD (¾ Ton) (9200 GVW) Pickup	SINGLE	—	RS5407	RS5548
2001-05	4WD Silverado 2500HD (¾ Ton) (9200 GVW) Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
1999-04	4WD Silverado 2500 (¾ Ton) (up to 8600 GVW) Pickup	SINGLE	—	RS5407	RS5548

# Steering Stabilizers

YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
			SHOCK	BRACKET	
CHEVROLET					
CHEVROLET TRUCK — Pickup (¾ Ton) 4 W.D. (Silverado, K & V Models) — Continued					
1988-00	4WD K-2500 (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97266	RS5401	RS5528
1988-00	4WD K-2500 (¾ Ton) w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1988-98	4WD K-2500 (¾ Ton) - 6 Lug w/Rancho RS6443 System	SINGLE	RS97343	RS5401	RS5543
1988-98	4WD K-2500 (¾ Ton) - 8 Lug w/Rancho RS6469 System	SINGLE	—	RS5401	—
1987	4WD V-20 (¾ Ton)	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1987	4WD V-20 (¾ Ton) - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
1987	4WD V-20 (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1973-86	4WD K-20 (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1967-86	4WD K-20 (¾ Ton)	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1967-86	4WD K-20 (¾ Ton) - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
1960-72	4WD K-20 (¾ Ton)	SINGLE	RS97355	RS5403	RS5509
1958-59	4WD Series III - 3600 (¾ Ton)	SINGLE	RS97355	RS5403	RS5509
CHEVROLET TRUCK — Pickup (¾ Ton) 2 W.D. (Silverado, C & R Models)					
2001-05	2WD Silverado 2500HD (¾ Ton) (9200 GVW) Pickup	SINGLE	—	RS5407	RS5548
2001-05	2WD Silverado 2500HD (¾ Ton) (9200 GVW) Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
1988-00	2WD C-2500 (¾ Ton)	SINGLE	RS97267	RS5406	RS5536
1987-89	2WD R-20, R-2500 (¾ Ton)	SINGLE	RS97385	RS5402	RS5514
1967-86	2WD C-20 (¾ Ton)	SINGLE	RS97385	RS5402	RS5514
1950-59	2WD Series I, II, III - 3600 (¾ Ton)	SINGLE	RS97345	RS5402	RS5508
CHEVROLET TRUCK — Pickup (1 Ton) 4 W.D. (Silverado, K & V Models)					
2001-05	4WD Silverado 3500 (1 Ton) (11400 GVW) Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
1988-00	4WD K-3500 (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97266	RS5401	RS5528
1988-00	4WD K-3500 (1 Ton) w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1988-98	4WD K-3500 (1 Ton) - 8 Lug w/Rancho RS6469 System	SINGLE	—	RS5401	—
1987-91	4WD V-30, V-3500 (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1973-86	4WD K-30 (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
CHEVROLET TRUCK — Pickup (1 Ton) 2 W.D. (Silverado, C & R Models)					
2001-05	2WD Silverado 3500 (1 Ton) (11400 GVW) Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
1988-00	2WD C-3500 (1 Ton) - Inc. dual rear wheels, - Exc. straight axle or 3-bolt idler arm	SINGLE	—	RS5406	RS5529
1987-91	2WD R-30, R-3500 (1 Ton)	SINGLE	RS97385	RS5402	RS5514
1967-86	2WD C-30 (1 Ton)	SINGLE	RS97385	RS5402	RS5514
1950-59	2WD Series I, II, III - 3800 (1 Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508
CHEVROLET TRUCK — Pickup LUV (Light Duty) 2 W.D.					
1979-82	4WD Luv Mini Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97270	RS5401	RS5503
CHEVROLET TRUCK — Pickup S-Models (Light Duty) 4 W.D.					
1982-04	4WD S-10 Mid Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5401	—
1982-97	4WD S-10 Mid Size w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1982-94	4WD S-10 Mid Size w/Rancho System	SINGLE	—	RS5402	RS5538
CHEVROLET TRUCK — Suburban 4 W.D.					
2000-05	4WD Suburban (½ Ton) w/Rancho RS6546 or RS6547 System — Exc. Z55 Autoride Suspension	SINGLE	—	RS5402	RS5545
2000-05	4WD Suburban (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
2000-02	4WD Suburban (¾ Ton) (Up To 8600 GVW)	SINGLE	—	RS5407	RS5548
1992-98	4WD Suburban (¾ Ton) - 8 lug w/Rancho RS6467 System	SINGLE	—	RS5401	—
1992-97	4WD Suburban w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1973-91	4WD Suburban w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1967-91	4WD Suburban	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561

Q2 Qty. Req. 2

# Steering Stabilizers

YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
CHEVROLET					
CHEVROLET TRUCK — Suburban 4 W.D. — Continued					
1967-91	4WD Suburban - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
CHEVROLET TRUCK — Suburban 2 W.D.					
2001-05	2WD Suburban (¾ Ton) Torsion Bar Front Suspension w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
2000-01	2WD Suburban w/Rancho RS6246 System — Exc. Z55 Autoride Suspension	SINGLE	—	RS5402	RS5545
1992-99	2WD Suburban w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97267	RS5406	RS5529
1967-91	2WD Suburban	SINGLE	RS97385	RS5402	RS5514
CHEVROLET TRUCK — Tahoe 4 W.D.					
2000-05	4WD Tahoe 4 Door w/Rancho RS6547 System — Exc. Z55 Autoride Suspension	SINGLE	—	RS5402	RS5545
1995-00	4WD Tahoe w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97266	RS5401	RS5528
1995-98	4WD Tahoe w/ Rancho RS6555 or RS6568 Suspension	SINGLE	—	RS5401	—
1995-98	4WD Tahoe w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
CHEVROLET TRUCK — Tahoe 2 W.D.					
2000-01	2WD Tahoe 4 Door w/Rancho RS6246 System — Exc. Z55 Autoride Suspension	SINGLE	—	RS5402	RS5545
CHEVROLET TRUCK — Van Astro (Mini) 2 W.D.					
1985-05	2WD Astro Van	SINGLE	—	RS5406	RS5529
CHEVROLET TRUCK — Van (½ Ton) Express & G Models - Inc. Sportvan					
1983-87	G-10 (½ Ton)	SINGLE	—	RS5402	RS5515
1971-82	G-10 (½ Ton)	SINGLE	—	RS5402	RS5516
1965-71	G-10 (½ Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508
DANA					
DANA AXLES — 4WD Front Steering Axles					
—	Dana #30 2 5⁄16" O.D.	SINGLE	RS97345	RS5402	RS5508
—	Dana #44 2 ¾", 75 mm O.D.	SINGLE	RS97355	RS5403	RS5509
—	Dana #60 up to 3 ½" O.D., Napco up to 3 ⅝" O.D.	SINGLE	—	RS5403	RS5512
DODGE					
DODGE TRUCK — Pickup (½ Ton) 4 W.D. (Ram 1500 & W Models)					
2000-05	4WD Ram 1500 (½ Ton) w/ O.E. Steering Stabilizer w/ OEM number 52106909AB, AC & AD	SINGLE	—	RS5412	—
1994-99	4WD Ram 1500 (½ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5404	—
1960-93	4WD W100, W150 (½ Ton)	SINGLE	RS97355	RS5403	RS5509
		DUAL	RS98501 <sup>84</sup>	RS5402 <sup>02</sup>	RS5561 <sup>84</sup>
DODGE TRUCK — Pickup (½ Ton) 2 W.D. (Ram 1500 & D Models)					
2000-01	2WD Ram 1500 (½ Ton)	SINGLE	—	RS5401	RS5570
1972-93	2WD D100, D150 (½ Ton) w/coil spring front suspension	SINGLE	RS97385	RS5402	RS5514
1954-71	2WD D100 (½ Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508
DODGE TRUCK — Pickup (¾ Ton) 4 W.D. (Ram 2500 & W Models)					
2000-05	4WD Ram 2500 (¾ Ton) w/ O.E. Steering Stabilizer w/ OEM number 52106909AB, AC & AD	SINGLE	—	RS5412	—
1994-99	4WD Ram 2500 (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5404	—
1994-98	4WD Ram 2500 (¾ Ton) - supplemental steering stabilizer w/ 8800 GVW	SINGLE	—	RS5403	RS5541 <sup>149</sup>
1960-93	4WD W200, W250 (¾ Ton)	SINGLE	RS97355	RS5403	RS5509
1960-93	4WD W200, W250 (¾ Ton)	DUAL	RS98501 <sup>84</sup>	RS5402 <sup>02</sup>	RS5561 <sup>84</sup>
DODGE TRUCK — Pickup (¾ Ton) 2 W.D. (Ram 2500 & D Models)					
1972-93	2WD D200, D250 (¾ Ton) w/coil spring front suspension	SINGLE	RS97385	RS5402	RS5514

Steering Stabilizers					
YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
DODGE					
DODGE TRUCK — Pickup (¾ Ton) 2 W.D. (Ram 2500 & D Models) — Continued					
1954-71	2WD D200 (¾ Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508
DODGE TRUCK — Pickup (1 Ton) 4 W.D. (Ram 3500 & W Models)					
2000-05	4WD Ram 3500 (1 Ton) w/ O.E. Steering Stabilizer w/ OEM number 52106909AB, AC & AD	SINGLE	—	RS5412	—
1994-99	4WD Ram 3500 (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5404	—
1994-98	4WD Ram 3500 (1 Ton) - supplemental steering stabilizer	SINGLE	—	RS5403	RS5541 <sup>149</sup>
1960-93	4WD W300, W350 (1 Ton)	SINGLE	RS97355	RS5403	RS5509
1960-93	4WD W300, W350 (1 Ton)	DUAL	RS98501 <sup>84</sup>	RS5402 <sup>02</sup>	RS5561 <sup>84</sup>
1945-86	4WD W300, W350 (1 Ton) - Power Wagon w/larger than 3	SINGLE	—	RS5403	RS5512
DODGE TRUCK — Pickup (1 Ton) 2 W.D. (Ram 3500 & D Models)					
2000-05	2WD Ram 3500 (1 Ton) w/ Solid Front Axle w/ O.E. Steering Stabilizer w/ OEM number 52106909AB, AC & AD	SINGLE	—	RS5412	—
1972-93	2WD D300, D350 (1 Ton) w/coil spring front suspension	SINGLE	RS97385	RS5402	RS5514
1954-71	2WD D300 (1 Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508
DODGE TRUCK — Pickup Dakota 4 W.D.					
1987-92	4WD Dakota	SINGLE	—	RS5405	RS5531
DODGE TRUCK — Pickup Ram 50 (D-50 Light Duty) 2 W.D.					
1982-83	2WD D50 Mini	SINGLE	RS97260	RS5402	RS5502
DODGE TRUCK — Raider 4 W.D.					
1986-89	4WD Raider	SINGLE	—	RS5402	RS5508
DODGE TRUCK — Ramcharger 4 W.D.					
1970-93	4WD Ramcharger	SINGLE	RS97355	RS5403	RS5509
1970-93	4WD Ramcharger	DUAL	RS98501 <sup>84</sup>	RS5402 <sup>02</sup>	RS5561 <sup>84</sup>
DODGE TRUCK — Ramcharger 2 W.D.					
1972-93	2WD Ramcharger	SINGLE	RS97385	RS5402	RS5514
DODGE TRUCK — Van (½ Ton) Ram & B Models - Inc. Wagon					
1979-90	B100, B150 (½ Ton)	SINGLE	—	RS5403	RS5518
1970-78	B100 (½ Ton)	SINGLE	—	RS5403	RS5517
DODGE TRUCK — Van (¾ Ton) Ram & B Models - Inc. Wagon					
1979-90	B200, B250 (¾ Ton)	SINGLE	—	RS5403	RS5518
1970-78	B200 (¾ Ton)	SINGLE	—	RS5403	RS5517
DODGE TRUCK — Van (1 Ton) Ram & B Models - Inc. Wagon					
1979-90	B300, B350 (1 Ton)	SINGLE	—	RS5403	RS5518
1970-78	B300 (1 Ton)	SINGLE	—	RS5403	RS5517
FORD					
FORD TRUCK — Bronco (Full Size Models) 4 W.D.					
1992-96	4WD Bronco	SINGLE	RS97489 <sup>123</sup>	RS5402	RS5566 <sup>123</sup>
1992-96	4WD Bronco	DUAL	RS98508 <sup>123</sup>	RS5402 <sup>02</sup>	RS5565 <sup>123</sup>
1990-92	4WD Bronco — Exc. Quad Susp.	SINGLE	—	RS5402	RS5537
1980-92	4WD Bronco w/ Quad Susp.	SINGLE	RS97489 <sup>123</sup>	RS5402	RS5566 <sup>123</sup>
1980-92	4WD Bronco w/ Quad Susp.	DUAL	RS98508	RS5402 <sup>02</sup>	RS5565
1980-91	4WD Bronco - max. 3" raised height	DUAL	RS98506	RS5402 <sup>02</sup>	RS5563
1980-89	4WD Bronco	SINGLE	RS97481	RS5402	RS5535
1978-79	4WD Bronco - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
1978-79	4WD Bronco w/o sway bar	DUAL	RS98501 <sup>8</sup>	RS5402 <sup>02</sup>	RS5561 <sup>8</sup>

Q2 Qty. Req. 2

FOOTNOTES MUST BE READ! THEY CONTAIN IMPORTANT INFORMATION AND RECOMMENDATIONS PERTAINING TO CERTAIN APPLICATIONS.

# Steering Stabilizers

YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
FORD					
FORD TRUCK — Bronco (Full Size Models) 4 W.D. — Continued					
1970-79	4WD Bronco w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97335	RS5403	—
1966-69	4WD Bronco w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
FORD TRUCK — Bronco II 4 W.D.					
1983-90	4WD Bronco II	SINGLE	RS97481 <sup>66</sup>	RS5402	RS5535 <sup>66</sup>
FORD TRUCK — Bronco II 2 W.D.					
1983-90	2WD Bronco II	SINGLE	RS97481 <sup>66</sup>	RS5402	RS5535 <sup>66</sup>
1983-90	2WD Bronco II w/o sway bar mounted in front of axle	SINGLE	RS97481	RS5402	RS5513
FORD TRUCK — Excursion 4 W.D.					
2004-05	4WD Excursion w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5413•	—
2002-04	4WD Excursion - high performance stabilizer	SINGLE	—	RS5410	RS5542
2000-03	4WD Excursion w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5412	—
FORD TRUCK — Excursion 2 W.D.					
2000-02	2WD Excursion w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5412	—
FORD TRUCK — Expedition 4 W.D.					
1997-02	4WD Expedition	SINGLE	—	RS5401	RS5567
FORD TRUCK — Expedition 2 W.D.					
1997	2WD Expedition	SINGLE	—	RS5401	RS5567
FORD TRUCK — Explorer 4 W.D.					
1990-94	4WD Explorer	SINGLE	RS97483	RS5402	RS5537
FORD TRUCK — Explorer 2 W.D.					
1990-94	2WD Explorer	SINGLE	RS97483	RS5402	RS5537
FORD TRUCK — Pickup (½ Ton) 4 W.D. (F Series)					
2004	4WD F-150 (½ Ton) Heritage Series (old body style) w/Rancho RS6488 System	SINGLE	—	RS5401	RS5567
1997-03	4WD F-150 (½ Ton) — Inc. SuperCrew	SINGLE	—	RS5401	RS5567
1992-96	4WD F-150 (½ Ton)	SINGLE	RS97489 <sup>123</sup>	RS5402	RS5566 <sup>123</sup>
1992-96	4WD F-150 (½ Ton)	DUAL	RS98508 <sup>123</sup>	RS5402 <sup>02</sup>	RS5565 <sup>123</sup>
1980-96	4WD F-150 (½ Ton) — Exc. Quad Susp.	SINGLE	RS97481	RS5402	RS5535
1980-94	4WD F-150 (½ Ton) w/ Quad Susp.	SINGLE	RS97489	RS5402	RS5566
1980-94	4WD F-150 (½ Ton) w/ Quad Susp.	DUAL	RS98508	RS5402 <sup>02</sup>	RS5565
1980-93	4WD F-150 (½ Ton) - max. 3" raised height	DUAL	RS98506	RS5402 <sup>02</sup>	RS5563
1970-79	4WD F-100, F-150 (½ Ton) - (Bolts to Stock Mounts)	SINGLE	RS97335	RS5403	—
1970-79	4WD F-100, F-150 (½ Ton) - high performance stabilizer	SINGLE	RS97500 <sup>8</sup>	RS5408	RS5509
1970-79	4WD F-100, F-150 (½ Ton) - w/o sway bar	DUAL	RS98501 <sup>8</sup>	RS5402 <sup>02</sup>	RS5561 <sup>8</sup>
FORD TRUCK — Pickup (½ Ton) 2 W.D. (F Series)					
1997-01	2WD F-150 (½ Ton) — Inc. SuperCrew	SINGLE	—	RS5401	RS5567
1981-96	2WD F-100, F-150 (½ Ton)	SINGLE	RS97483	RS5402	RS5537
1980	2WD F-100, F-150 (½ Ton)	SINGLE	RS97465	RS5402	RS5522
1965-79	2WD F-100, F-150 (½ Ton) w/twin I-Beam axle	SINGLE	—	RS5402	RS5519
1950-64	2WD F-100 (½ Ton)	SINGLE	RS97345	RS5402	RS5508
FORD TRUCK — Pickup (¾ Ton) 4 W.D. (F Series)					
2005	4WD F-250 Superduty (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5413•	—
1999-04	4WD F-250 Superduty (¾ Ton) - high performance stabilizer	SINGLE	RS97488	RS5406	RS5542
1999-04	4WD F-250 Superduty (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5410	—
1999-04	4WD F-250 Superduty (¾ Ton) w/Rancho RS6553 or RS6653 System	DUAL	RS98509	RS5410 <sup>02</sup>	—
1997-99	4WD F-250 LD (¾ Ton)	SINGLE	—	RS5401	RS5567
1980-96	4WD F-250 (¾ Ton)	SINGLE	RS97481	RS5402	RS5535



# Steering Stabilizers

YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
FORD					
FORD TRUCK — Pickup (¾ Ton) 4 W.D. (F Series) — Continued					
1977-79	4WD F-250 (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97445	RS5405	—
1959-77	4WD F-250 (¾ Ton) - w/o power steering	SINGLE	RS97355	RS5403	RS5509
FORD TRUCK — Pickup (¾ Ton) 2 W.D. (F Series)					
1981-96	2WD F-250 (¾ Ton)	SINGLE	RS97483	RS5402	RS5537
1980	2WD F-250 (¾ Ton)	SINGLE	RS97465	RS5402	RS5522
1965-79	2WD F-250 (¾ Ton) w/twin I-Beam axle	SINGLE	—	RS5402	RS5519
1950-64	2WD F-250 (¾ Ton)	SINGLE	RS97345	RS5402	RS5508
FORD TRUCK — Pickup (1 Ton) 4 W.D. (F Series)					
2005	4WD F-350 Superduty (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5413•	—
1999-04	4WD F-350 Superduty (1 Ton) - high performance stabilizer	SINGLE	RS97488	RS5406	RS5542
1999-04	4WD F-350 Superduty (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5410	—
1999-04	4WD F-350 Superduty (1 Ton) w/Rancho RS6553 or RS6653 System	DUAL	RS98509	RS5410 <sup>02</sup>	—
1980-97	4WD F-350 (1 Ton) w/o sway bar	SINGLE	RS97481	RS5402	RS5535
1979	4WD F-350 (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97445	RS5405	—
1959-77	4WD F-350 (1 Ton) w/o power steering	SINGLE	RS97355	RS5403	RS5509
FORD TRUCK — Pickup (1 Ton) 2 W.D. (F Series)					
1980-97	2WD F-350 (1 Ton)	SINGLE	RS97465	RS5402	RS5522
1965-79	2WD F-350 (1 Ton) w/twin I-Beam axle	SINGLE	—	RS5402	RS5519
1950-64	2WD F-350 (1 Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508
FORD TRUCK — Pickup Ranger (Light Duty) 4 W.D.					
1983-97	4WD Ranger	SINGLE	RS97481	RS5402	RS5535
1983-95	4WD Ranger w/Rancho System	SINGLE	RS97483 <sup>66</sup>	RS5402	RS5537 <sup>66</sup>
1987-90	4WD Ranger w/factory High Ryder option	SINGLE	RS97483	RS5402	RS5537
FORD TRUCK — Pickup Ranger (Light Duty) 2 W.D.					
1990-97	2WD Ranger	SINGLE	—	RS5402	RS5537
1983-95	2WD Ranger w/Rancho System	SINGLE	RS97483 <sup>66</sup>	RS5402	RS5537 <sup>66</sup>
1983-91	2WD Ranger w/o sway bar mounted in front of I-Beams	SINGLE	RS97481	RS5402	RS5513
FORD TRUCK — Pickup / Chassis Cab F-450 2 W.D.					
2005	2WD F-450 Superduty w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5413•	—
1999-04	2WD F-450 Superduty w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5410	—
FORD TRUCK — Pickup / Chassis Cab F-450 4 W.D.					
2005	4WD F-450 Superduty w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5413•	—
1999-04	4WD F-450 Superduty w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5410	—
FORD TRUCK — Pickup / Chassis Cab F-550 4 W.D.					
2005	4WD F-550 Superduty w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5413•	—
1999-04	4WD F-550 Superduty w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5410	—
FORD TRUCK — Pickup / Chassis Cab F-550 2 W.D.					
2005	2WD F-550 Superduty w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5413•	—
1999-04	2WD F-550 Superduty w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5410	—
FORD TRUCK — Van (½ Ton) E Series - Inc. Club Wagon					
1969-74	E-100 (½ Ton) w/twin I-Beam axle	SINGLE	—	RS5402	RS5519
1961-68	E-100 (½ Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508
FORD TRUCK — Van (¾ Ton) E Series - Inc. Club Wagon					
1969-74	E-200 (¾ Ton) w/twin I-Beam axle	SINGLE	—	RS5402	RS5519
1961-68	E-200 (¾ Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508

Q2 Qty. Req. 2

FOOTNOTES MUST BE READ! THEY CONTAIN IMPORTANT INFORMATION AND RECOMMENDATIONS PERTAINING TO CERTAIN APPLICATIONS.

# Steering Stabilizers

YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
GMC					
GMC TRUCK — Jimmy 4 W.D. Compact - Inc. S Models					
1995-00	4WD Jimmy w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5401	—
1995-97	4WD Jimmy w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1982-94	4WD Jimmy (S Models) Mid Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5401	—
1982-94	4WD Jimmy (S Models) Mid Size w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
GMC TRUCK — Jimmy 4 W.D. Full Size (K & V Models)					
1973-91	4WD Jimmy Full Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1969-91	4WD Jimmy Full Size	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1969-91	4WD Jimmy Full Size - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
GMC TRUCK — Jimmy 2 W.D. Full Size (C Models)					
1969-83	2WD Jimmy Full Size	SINGLE	RS97385	RS5402	RS5514
GMC TRUCK — Pickup (½ Ton) 4 W.D. (Sierra, K & V Models)					
2005	4WD Sierra 1500HD (½ Ton) Crew Cab	SINGLE	—	RS5407	RS5548
1999-05	4WD Sierra 1500 (½ Ton) Pickup w/Rancho RS6545 System	SINGLE	—	RS5402	RS5545
2001-03	4WD Sierra 1500HD (½ Ton) Crew Cab	SINGLE	—	RS5407	RS5548
1988-98	4WD K-1500 (½ Ton) - Inc. Z71 w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97266	RS5401	RS5528
1988-98	4WD K-1500 (½ Ton) - Inc. Z71 w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1988-98	4WD K-1500 (½ Ton) w/Rancho RS6443 System	SINGLE	RS97343	RS5401	RS5543
1988-98	4WD K-1500 (½ Ton) w/Rancho RS6543 System	SINGLE	—	RS5401	—
1987	4WD V-1500 (½ Ton)	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1987	4WD V-1500 (½ Ton) - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
1987	4WD V-1500 (½ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1973-86	4WD K-1500 (½ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1967-86	4WD K-1500 (½ Ton)	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1967-86	4WD K-1500 (½ Ton) - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
1967-72	4WD K-1500 (½ Ton)	SINGLE	RS97355	RS5403	RS5509
1960-66	4WD 1000 (½Ton)	SINGLE	RS97355	RS5403	RS5509
1958-59	4WD 100 (½ Ton)	SINGLE	RS97355	RS5403	RS5509
GMC TRUCK — Pickup (½ Ton) 2 W.D. (Sierra, C & R Models)					
2005	2WD Sierra 1500HD (½ Ton) Crew Cab	SINGLE	—	RS5407	RS5548
2001-03	2WD Sierra 1500HD (½ Ton) Crew Cab	SINGLE	—	RS5407	RS5548
1988-98	2WD C-1500 (½ Ton)	SINGLE	RS97267	RS5406	RS5536
1987	2WD R-1500 (½ Ton)	SINGLE	RS97385	RS5402	RS5514
1967-86	2WD C-1500 (½ Ton)	SINGLE	RS97385	RS5402	RS5514
1955-59	2WD 100 (½ Ton)	SINGLE	RS97345	RS5402	RS5508
1950-54	2WD ½ Ton	SINGLE	RS97345	RS5402	RS5508
GMC TRUCK — Pickup (¾ Ton) 4 W.D. (Sierra, K & V Models)					
2000-05	4WD Sierra 2500HD (¾ Ton) (9200 GVW) Pickup	SINGLE	—	RS5407	RS5548
2000-05	4WD Sierra 2500HD (¾ Ton) (9200 GVW) Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
1999-04	4WD Sierra 2500 (¾ Ton) (up to 8600 GVW) Pickup	SINGLE	—	RS5407	RS5548
1988-00	4WD K-2500 (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97266 <sup>28</sup>	RS5401	RS5528 <sup>28</sup>
1988-00	4WD K-2500 (¾ Ton) w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1988-98	4WD K-2500 (¾ Ton) - 6 Lug w/Rancho RS6443 System	SINGLE	RS97343	RS5401	RS5543
1988-98	4WD K-2500 (¾ Ton) - 8 Lug w/Rancho RS6469 System	SINGLE	—	RS5401	—
1987	4WD V-2500 (¾ Ton)	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1987	4WD V-2500 (¾ Ton) - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
1987	4WD V-2500 (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1973-86	4WD K-2500 (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1967-86	4WD K-2500 (¾ Ton)	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1967-86	4WD K-2500 (¾ Ton) - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509

# Steering Stabilizers

YEAR	MODEL	TYPE	COMPLETE KIT	RS5000 SHOCKBRACKET	
GMC					
GMC TRUCK — Pickup (¾ Ton) 4 W.D. (Sierra, K & V Models) — Continued					
1967-72	4WD 1500 (¾ Ton)	SINGLE	RS97355	RS5403	RS5509
1960-66	4WD 1500 (¾ Ton)	SINGLE	RS97355	RS5403	RS5509
1958-59	4WD 150 (¾ Ton)	SINGLE	RS97355	RS5403	RS5509
GMC TRUCK — Pickup (¾ Ton) 2 W.D. (Sierra, C & R Models)					
2001-05	2WD Sierra 2500HD (¾ Ton) (9200 GVW) Pickup	SINGLE	—	RS5407	RS5548
2000-05	2WD Sierra 2500HD (¾ Ton) (9200 GVW) Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
1988-00	2WD C-2500 (¾ Ton)	SINGLE	RS97267	RS5406	RS5536
1987-89	2WD R-2500 (¾ Ton)	SINGLE	RS97385	RS5402	RS5514
1967-86	2WD C-2500 (¾ Ton)	SINGLE	RS97385	RS5402	RS5514
1955-59	2WD 150 (¾ Ton)	SINGLE	RS97345	RS5402	RS5508
1950-54	2WD ¾ Ton	SINGLE	RS97345	RS5402	RS5508
GMC TRUCK — Pickup (1 Ton) 4 W.D. (Sierra, K & V Models)					
2001-05	4WD Sierra 3500 (1 Ton) (11400 GVW) Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
1988-00	4WD K-3500 (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97266	RS5401	RS5528
1988-00	4WD K-3500 (1 Ton) w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1988-98	4WD K-3500 (1 Ton) - 8 Lug w/Rancho RS6469 System	SINGLE	—	RS5401	—
1987-91	4WD V-3500 (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1973-86	4WD K-3500 (1 Ton) w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97325	RS5404	—
GMC TRUCK — Pickup (1 Ton) 2 W.D. (Sierra, C & R Models)					
2001-05	2WD Sierra 3500 (1 Ton) (11400 GVW) Pickup w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
1988-00	2WD C-3500 (1 Ton) - Inc. dual rear wheels, - Exc. straight axle or 3-bolt idler arm	SINGLE	—	RS5406	RS5529
1987-91	2WD R-3500 (1 Ton)	SINGLE	RS97385	RS5402	RS5514
1967-86	2WD C-3500 (1 Ton)	SINGLE	RS97385	RS5402	RS5529
1955-59	2WD 250 (1 Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508
1950-54	2WD 1 Ton	SINGLE	RS97345	RS5402	RS5508
GMC TRUCK — Pickup S Models (Light Duty) 4 W.D. (Sonoma)					
1982-04	4WD S-15 Sonoma Mid Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5401	—
1982-97	4WD S-15 Sonoma Mid Size w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1982-91	4WD S-15 Sonoma Mid Size w/Rancho System	SINGLE	—	RS5402	RS5538
GMC TRUCK — Suburban 4 W.D.					
1992-98	4WD Suburban (¾ Ton) - 8 lug w/Rancho RS6469 System	SINGLE	—	RS5401	—
1992-97	4WD Suburban w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
1973-91	4WD Suburban w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
1967-91	4WD Suburban	DUAL	RS98501	RS5402 <sup>02</sup>	RS5561
1967-91	4WD Suburban - high performance stabilizer	SINGLE	RS97500	RS5408	RS5509
GMC TRUCK — Suburban 2 W.D.					
1992-99	2WD Suburban w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97267	RS5406	RS5529
1967-91	2WD Suburban	SINGLE	RS97385	RS5402	RS5514
GMC TRUCK — Van Safari (Mini) 2 W.D.					
1985-05	2WD Safari Van	SINGLE	—	RS5406	RS5529
GMC TRUCK — Van (½ Ton) Savana & G Models - Inc. Rally & Vandura					
1983-87	G-1500 (½ Ton)	SINGLE	—	RS5402	RS5515
1971-82	G-1500 (½ Ton)	SINGLE	—	RS5402	RS5516
1965-71	G-1500 (½ Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508

Q2 Qty. Req. 2

FOOTNOTES MUST BE READ! THEY CONTAIN IMPORTANT INFORMATION AND RECOMMENDATIONS PERTAINING TO CERTAIN APPLICATIONS.



# Steering Stabilizers

YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
GMC					
GMC TRUCK — Yukon XL 4 W.D.					
2000-05	4WD Yukon XL 1500 (½ Ton) w/Rancho RS6546 or RS6547 System — Exc. Z55 Autoride Suspension	SINGLE	—	RS5402	RS5545
2000-05	4WD Yukon XL 2500 (¾ Ton) (Up To 8600 GVW)	SINGLE	—	RS5407	RS5548
2000-05	4WD Yukon XL 2500 (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
GMC TRUCK — Yukon XL 2 W.D.					
2001-05	2WD Yukon XL 2500 (¾ Ton) Torsion Bar Front Suspension w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5411	—
2000-01	2WD Yukon XL 1500 (½ Ton) w/Rancho RS6246 System — Exc. Z55 Autoride Suspension	SINGLE	—	RS5402	RS5545
GMC TRUCK — Yukon 4 W.D.					
2000-05	4WD Yukon 4 Door w/Rancho RS6547 System — Exc. Z55 Autoride Suspension	SINGLE	—	RS5402	RS5545
1992-00	4WD Yukon w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97266	RS5401	RS5528
1992-98	4WD Yukon w/ Rancho RS6555 or RS6568 Suspension	SINGLE	—	RS5401	—
1992-98	4WD Yukon w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
GMC TRUCK — Yukon 2 W.D.					
2000-01	2WD Yukon 4 Door w/Rancho RS6246 System — Exc. Z55 Autoride Suspension	SINGLE	—	RS5402	RS5545
HUMMER					
HUMMER — H2					
2003-05	4WD H2	SINGLE	—	RS5407	RS5548
INTERNATIONAL HARVESTER					
INTERNATIONAL HARVESTER — Pickup (Full Size) 4 W.D.					
1960-75	4WD IHC Pickup w/3½" front axle and 1½" tie rod	SINGLE	—	RS5403	RS5512
1960-75	4WD IHC Pickup (½, ¾ Ton) - all others	SINGLE	RS97355	RS5403	RS5509
INTERNATIONAL HARVESTER — Pickup (Full Size) 2 W.D.					
1960-74	2WD Metro (½, ¾ Ton) w/I-Beam axle	SINGLE	RS97345	RS5402	RS5508
1959-74	2WD IHC Pickup (½, ¾ Ton)	SINGLE	RS97345	RS5402	RS5508
INTERNATIONAL HARVESTER — Scout					
1969-81	Scout, Scout II, Terra All	SINGLE	RS97355	RS5403	RS5509
1961-68	4WD Scout 80, 800	SINGLE	RS97345	RS5402	RS5508
INTERNATIONAL HARVESTER — Travelall 4 W.D.					
1960-75	4WD IHC Travelall	SINGLE	RS97355	RS5403	RS5509
INTERNATIONAL HARVESTER — Travelall 2 W.D.					
1959-74	2WD IHC Travelall	SINGLE	RS97345	RS5402	RS5508
ISUZU					
ISUZU TRUCK — Amigo 2 W.D.					
1989-97	2WD Amigo	SINGLE	RS97270	RS5401	RS5503
ISUZU TRUCK — Pickup Series 4 W.D.					
1989-91	4WD Pickup	SINGLE	RS97345	RS5402	RS5508
1982-83	4WD Pickup	SINGLE	RS97270	RS5401	RS5503
ISUZU TRUCK — Pickup Series 2 W.D.					
1989-91	2WD Pickup	SINGLE	RS97270	RS5401	RS5503

Steering Stabilizers					
YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
ISUZU					
ISUZU TRUCK — Rodeo 2 W.D.					
1989-97	2WD Rodeo	SINGLE	RS97270	RS5401	RS5503
ISUZU TRUCK — Trooper & Trooper II 4 W.D.					
1984-90	4WD Trooper	SINGLE	RS97345	RS5402	RS5508
JEEP					
JEEP — Cherokee					
1984-98	XJ Cherokee Mid Size All w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5401	—
JEEP — CJ Series 4 W.D.					
1941-86	4WD CJ2A, CJ3A, CJ3B, CJ5, CJ6, CJ7	SINGLE	RS97345	RS5402	RS5508
JEEP — DJ Dispatcher 4 W.D.					
1949-74	4WD DJ	SINGLE	RS97345	RS5402	RS5508
JEEP — Grand Cherokee					
1999-01	WJ Grand Cherokee All w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5409	—
1993-98	ZJ Grand Cherokee All w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5401	—
JEEP — Jeepster (Inc. Commando) 4 W.D.					
1966-73	4WD Jeepster, Commando	SINGLE	RS97345	RS5402	RS5508
1947-63	4WD Utility Wagon	SINGLE	RS97355	RS5403	RS5509
JEEP — M Series (Military Jeep) 4 W.D.					
1941-75	4WD MB, M38, M38A1	SINGLE	RS97345	RS5402	RS5508
JEEP — Pickup Comanche (MJ Series) 4 W.D.					
1986-92	4WD Comanche Mid Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5401	—
JEEP — Pickup Gladiator (J Series) 4 W.D.					
1963-73	4WD Gladiator	SINGLE	RS97355	RS5403	RS5509
1947-63	4WD Utility Truck	SINGLE	RS97355	RS5403	RS5509
JEEP — Pickup Pioneer (J Series) 4 W.D.					
1974-86	4WD J10 (½ Ton), J20 (¾ Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
JEEP — Scrambler 4 W.D.					
1976-86	4WD Scrambler	SINGLE	RS97345	RS5402	RS5508
JEEP — Wagoneer 4 W.D.					
1974-91	4WD Wagoneer w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS97325	RS5404	—
JEEP — Wrangler (TJ Series)					
1997-05	4WD TJ Wrangler w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts) — Inc. Rubicon & Unlimited	SINGLE	—	RS5407	—
JEEP — Wrangler (YJ Series)					
1986-96	4WD YJ Wrangler w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5407	—
LAND ROVER					
LAND ROVER — Defender 90					
1984-89	90", 110" W.B. & Defender	SINGLE	—	RS5405	RS5550
1959-81	88", 90", 110" W.B.	SINGLE	RS97435	RS5402	RS5520
LAND ROVER — Discovery					
1989-92	Land Rover Discovery	SINGLE	—	RS5403	—

# Steering Stabilizers

YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
LAND ROVER					
LAND ROVER — Range Rover					
1984-92	Range Rover 90" All	SINGLE	—	RS5405	RS5550
MAZDA					
MAZDA TRUCK — Navajo 4 W.D.					
1990-94	4WD Navajo	SINGLE	RS97483 <sup>66</sup>	RS5402	RS5537 <sup>66</sup>
MAZDA TRUCK — Navajo 2 W.D.					
1990-94	2WD Navajo	SINGLE	RS97483 <sup>66</sup>	RS5402	RS5537 <sup>66</sup>
MAZDA TRUCK — Pickup B Series 4 W.D.					
1994-97	4WD B4000	SINGLE	RS97481	RS5402	RS5535
1994-95	4WD B4000 w/Rancho System Only	SINGLE	RS97483 <sup>66</sup>	RS5402	RS5537 <sup>66</sup>
1987-93	4WD B2600 w/OEM stud on the passager side frame	SINGLE	—	RS5405	RS5530
MAZDA TRUCK — Pickup B Series 2 W.D.					
1994-97	2WD B2300, B3000, B4000	SINGLE	RS97483 <sup>66</sup>	RS5402	RS5537 <sup>66</sup>
MITSUBISHI					
MITSUBISHI TRUCK — Montero 4 W.D.					
1986-95	4WD Montero	SINGLE	—	RS5402	RS5508
MITSUBISHI TRUCK — Pajero 4 W.D.					
1986-95	4WD Pajero	SINGLE	—	RS5402	RS5508
MITSUBISHI TRUCK — Pickup Series 2 W.D.					
1982-83	2WD Pickup	SINGLE	RS97260	RS5402	RS5502
NISSAN					
NISSAN TRUCK — Frontier 4 W.D.					
2000-02	4WD Frontier	SINGLE	—	RS5402	RS5592
NISSAN TRUCK — Frontier 2 W.D.					
2000-02	2WD Frontier	SINGLE	—	RS5402	RS5592
NISSAN TRUCK — Pathfinder 4 W.D.					
July 86-95	4WD Pathfinder w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97268	RS5402	RS5533
NISSAN TRUCK — Pathfinder 2 W.D.					
July 86-95	2WD Pathfinder w/o O.E. Steering Stabilizer Mounts & Sway Bar	SINGLE	RS97268	RS5402	RS5533
NISSAN TRUCK — Patrol 4 W.D.					
1989-94	4WD Patrol GR (Y60)	SINGLE	—	RS5402	—
1989-94	4WD Patrol R (160/743 & 260/743)	SINGLE	—	RS5407	—
1980-89	4WD Patrol 160 (orig. J) & 260 (orig. E)	SINGLE	—	RS5407	RS5551
1984-88	4WD Patrol R short, long - Inc. Diesel	SINGLE	—	RS5407	—
NISSAN TRUCK — Pickup Series 4 W.D.					
July 86-95	4WD Hardbody Pickup w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97268	RS5402	RS5533
1984-86	4WD All	SINGLE	—	RS5402	RS5532
NISSAN TRUCK — Pickup Series 2 W.D.					
July 86-95	2WD Hardbody Pickup w/o O.E. Steering Stabilizer Mounts & Sway Bar	SINGLE	RS97268	RS5402	RS5533
1971-82	2WD All	SINGLE	RS97260	RS5402	RS5502

Steering Stabilizers					
YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
NISSAN					
NISSAN TRUCK — Terrano 4 W.D.					
July 86-95	4WD Terrano w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97268	RS5402	RS5533
NISSAN TRUCK — Terrano 2 W.D.					
July 86-95	2WD Terrano w/o O.E. Steering Stabilizer Mounts & Sway Bar	SINGLE	RS97268	RS5402	RS5533
NISSAN TRUCK — Xterra 4 W.D.					
2000-04	4WD Xterra	SINGLE	—	RS5402	RS5592
NISSAN TRUCK — Xterra 2 W.D.					
2000-04	2WD Xterra	SINGLE	—	RS5402	RS5592
OLDSMOBILE					
OLDSMOBILE — Bravada 4 W.D.					
1991-97	4WD Bravada w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	—	RS5401	—
1991-97	4WD Bravada w/o O.E. Steering Stabilizer Mounts	SINGLE	RS97265	RS5401	RS5526
PLYMOUTH					
PLYMOUTH TRUCK — Arrow (Light Duty) Pickup 2 W.D.					
1982	2WD Arrow Mini	SINGLE	RS97260	RS5402	RS5502
PLYMOUTH TRUCK — PB Models (½ Ton) Van					
1979-83	PB100, PB150 (½ Ton)	SINGLE	—	RS5403	RS5518
1971-78	PB100 (½ Ton)	SINGLE	—	RS5403	RS5517
1954-71	PB100 (½ Ton) w/l-Beam axle	SINGLE	RS97345	RS5402	RS5508
PLYMOUTH TRUCK — PB Models (¾ Ton) Van					
1979-83	PB200, PB250 (¾ Ton)	SINGLE	—	RS5403	RS5518
1971-78	PB200 (¾ Ton)	SINGLE	—	RS5403	RS5517
1954-71	PB200 (¾ Ton) w/l-Beam axle	SINGLE	RS97345	RS5402	RS5508
PLYMOUTH TRUCK — PB Models (1 Ton) Van					
1978-83	PB300, PB350 (1 Ton)	SINGLE	—	RS5403	RS5518
1971-78	PB300 (1 Ton)	SINGLE	—	RS5403	RS5517
1954-71	PB300 (1 Ton) w/l-Beam axle	SINGLE	RS97345	RS5402	RS5508
PLYMOUTH TRUCK — Trailduster 4 W.D.					
1970-78	4WD Trailduster	SINGLE	RS97355	RS5403	RS5509
1970-78	4WD Trailduster	DUAL	RS98501 <sup>84</sup>	RS5402 <sup>02</sup>	RS5561 <sup>84</sup>
SUZUKI					
SUZUKI — Samurai 4 W.D.					
1985-90	4WD Samurai	SINGLE	RS97345	RS5402	RS5508
1978-88	4WD LJ10, SJ10	SINGLE	—	RS5402	RS5508
1982-87	4WD LJ413	SINGLE	—	RS5402	RS5508
SUZUKI — Santana 4 W.D.					
1985-90	4WD Santana	SINGLE	RS97345	RS5402	RS5508
TOYOTA					
TOYOTA TRUCK — 4 Runner					
1990-93	2WD 4 Runner	SINGLE	RS97273	RS5402	RS5573
1986-93	4WD 4 Runner	SINGLE	RS97273	RS5402	RS5573
1984-85	4WD 4 Runner	SINGLE	RS97484	RS5403	RS5525

Q2 Qty. Req. 2

FOOTNOTES MUST BE READ! THEY CONTAIN IMPORTANT INFORMATION AND RECOMMENDATIONS PERTAINING TO CERTAIN APPLICATIONS.

# Steering Stabilizers

YEAR	MODEL	TYPE	COMPLETE KIT	RS5000	
				SHOCK	BRACKET
TOYOTA					
TOYOTA TRUCK — 4 Runner — Continued					
1979-85	4 Runner All	DUAL	RS98505 <sup>60</sup>	RS5402 <sup>Q2</sup>	RS5562 <sup>60</sup>
TOYOTA TRUCK — Landcruiser					
1990-94	4WD 80 Series Landcruiser	SINGLE	—	RS5404	RS5550
1981-89	4WD HJ60 Custom Wagon, LJ70 to LJ79	SINGLE	—	RS5404	RS5550
1955-84	4WD FJ25, FJ40, FJ43, FJ55	SINGLE	RS97435	RS5402	RS5520
TOYOTA TRUCK — Pickup (Compact) Series 4 W.D.					
1986-94	4WD Mini Pickup - independent suspension only	SINGLE	RS97273	RS5402	RS5573
1986-94	4WD Mini Pickup w/solid axle	SINGLE	RS97484	RS5403	RS5525
1986-92	4WD Mini Pickup w/Rancho RS6428 System - independent suspension only	SINGLE	RS97264	RS5402	RS5539
1984-85	4WD Mini Pickup	SINGLE	RS97484	RS5403	RS5525
1979-85	4WD Mini Pickup	DUAL	RS98505 <sup>60</sup>	RS5402 <sup>Q2</sup>	RS5562
1979-83	4WD Mini Pickup	SINGLE	RS97485	RS5402	RS5525
TOYOTA TRUCK — Pickup (Compact) Series 2 W.D.					
1979-92	2WD Mini Pickup	SINGLE	RS97260	RS5402	RS5502
TOYOTA TRUCK — Pickup T100 Series (Full Size) 4 W.D.					
1993-96	4WD T100 Pickup	SINGLE	RS97273	RS5402	RS5573



1. Front shock must be installed rod end down (without shock boot).
2. 1976 ½ - 1986 Blazer or Jimmy and short bed pickups with a 4" suspension system will require a transfer case lowering kit part number RS6631. Some vehicles equipped with 2 ½" suspension system may experience a driveline vibration. Part number RS6631 can be used to possibly correct the vibration, but a driveline vibration may still be present. **CAUTION: RANCHO DOES NOT RECOMMEND INSTALLING A 4" SUSPENSION SYSTEM ON VEHICLES EQUIPPED WITH THE "LONG" REAR TAIL SHAFT HOUSING, REAR UNIVERSAL WEAR WILL BE ACCELERATED AND DRIVELINE VIBRATION WILL OCCUR.**
4. Check the Shock Application section for the correct shocks used on vehicles which come equipped with OE Quad Suspension or Add on Dual Shock Option.
5. On CJ's with 4 speed transmissions, rear driveline will need to be lengthened, transfer case cross member will need to be lowered from frame ½" and driveline vibration will occur. Use Lowering Bracket Kit to lower transfer case ½". Part No. RS6633 fits 1941-1975. Part No. RS6639 fits 1976-1986.
6. If these vehicles have a Detroit-type driveline, the driveline must be replaced by a Spicer-type driveline.



Rear propeller shaft (Detroit Universal)



Rear propeller shaft (Spicer)

7. On some models a low speed vibration may occur in the front driveline.
8. If tie rod assembly is Diagram 1 - inverted "Y" it must be changed to Diagram 2 later model, 1978-79, inverted "T" style, (see below). **CAUTION: SOME VEHICLES WILL BE UNABLE TO CHANGE TO THE INVERTED "T", THEREFORE A DUAL STABILIZER OR A SUSPENSION SYSTEM CANNOT BE INSTALLED. VEHICLES EQUIPPED WITH A POWER STEERING CYLINDER CANNOT BE CONVERTED TO THE INVERTED "T".**




Diagram 1 - Inverted "Y"




Diagram 2 - Inverted "T"

9. Rancho highly recommends the use of the constant velocity (Spicer style) front driveshaft, as used in the Jeep factory trailer towing option. The Jeep original equipment, light duty, double offset joint, front driveshaft should not be used if any of the following conditions occur. If you have Select-Track Option. If you drive 55-65 mph for long periods of time. You tow a trailer. You use your vehicle to pull other vehicles out from being stuck. If you use the light duty driveshaft you will experience driveshaft boot wear and will need to re-pack the offset joint periodically and replace the boot periodically.
10. 1987-90 4WD Blazer or Jimmy and short bed pickups with a 4" suspension system will require a transfer case lowering kit part number RS6640. Some vehicles equipped with 2 ½" suspension system may experience a driveline vibration. Part number RS6640 can be used to possibly correct the vibration, but a driveline vibration may still be present. The exhaust cross pipe will need to be modified to clear front drive shaft.
11. RS8701 is required to restore the turning radius, on right turns.
12. If the rear of your vehicle is equipped with a height-sensitive brake proportioning valve, contact your local dealer for correct adjustment procedure of the proportioning valve. **CAUTION: VEHICLES WITH NO ADJUSTMENT PROCEDURE, RANCHO DOES NOT RECOMMEND INSTALLATION OF THE ADD-LEAF OR LEV-A LOAD.**
13. Block Kit No. RS70054 is required with RS86209 Rear Spring for a 4" lift.
14. Full Size Lev-A-Load Kits will not fit vehicles with factory overload mounted above leaf spring.
15. Vehicles with a 13 ¼" rear driveshaft will require a transfer case lowering kit RS6644.


17. Will not fit vehicles equipped with big block engines, 15" or smaller wheels, or vehicles with anti-lock brakes (ABS).
18. The net raised height achieved with this system is dependent upon the adjustment of the torsion bars prior to installation. Example: If the Rancho System is listed as 3", but the torsion bars on a vehicle are adjusted to 1" over stock, the net raised height will be 2". The net raised height will be 1" less on vehicles equipped with the Z71 Off Road Package.
19. RS968 4" C-Bushing Kit is required to align vehicle.
20. Additional washers may be required to increase space between shocks on lower mount.
21. On 1976-81 CJ5, CJ7, Scrambler 2 ½" Suspension System RS5119 & RS99119 may be too short and you must use RS5113 & RS99113 with Bump Stop Kit No. RS8203.
22. Part No. RS8125 axle shim kit may be required on rear axle for shock-to-axle clearance.
23. I.D. of shock bushing is smaller than mounting pin & requires lubrication & extra effort for installation.
24. Slight grinding of lower control arm is required.
25. Steering arm may contact shock body on RS5113, RS5119, RS99113 & RS99119 on FJ43 & FJ45. Install shock boot towards ground for additional clearance.
26. This Spring is required with the Primary Suspension System, to get the proper lift.
27. Bumpstop must be lowered 2" or damage to shock will occur.
28. Must have factory hole in tie rod for stabilizer.
29. We recommend installing new ball joints when installing Part No. RS6500.
30. Kit RS60612 will work on 1983-86 Nissan but raises rear 2"-3".
31. 1967-72 Chevrolet/GMC Trucks may be equipped with a non-adjustable drag link. In these cases the drag link will need to be replaced with a late model Chevrolet/GMC adjustable link, available through your Chevrolet or GMC dealer.
32. On Blazer/Jimmy with worn or sagging rear springs, vehicle will sit low in rear. Rear Add-A-Leaf part No. RS60812 will correct this.
34. RS996 Rockcrawler Bushing Rebuild Kit is Available (Rebuilds one Link - 4 Kits required for completed vehicle.)
35. Height will vary due to inconsistent factory height.
36. On M38, vehicle spring anchor mounts will need to be drilled out and you must buy Jeep spring anchor bolt Part No. RS384228 (4 per vehicle) to install springs. Available from your Jeep dealer.
37. Remove ½" O.D. x 7/16" I.D. sleeves, if used, from the old spring shackle ends and insert sleeves into the Rancho bushings.
38. On all Dodges, the use of our Kicker Shock Kit No. RS1804 is required to greatly reduce rear end windup.
39. Vehicles equipped with GM's Auto Trak system WILL REQUIRE the replacement of the front drive shaft or else severe drive line vibration and noise will occur. Rancho recommends "Powertrain Industries" part number 3194-9800 or equivalent. Available from: Powertrain Industries, Inc. 7532 Anthony Ave. Garden Grove, CA 92841. Toll Free: 1-800-798-4585. Email: sales@powertrainindustries.com.
40. May need longer rear U-bolt Kit RS737. 89-91 standard cab, short bed Toyota requires U-bolt Kit RS745.

43. Will require minor modification to inner fender well.
46. Must have rear mount fuel tank only, no side saddle tanks.
48. RS60612 may be used for this application will lift  $\frac{3}{4}$ ".
49. This Add-A-Leaf may be too long for some vehicles. The ends of the leaf may be trimmed to help provide a correct fit.
50. May need to reuse stock center pin, check length before disassembly. Add-A-Leaf may need to be drilled for larger stock center pin bolt.
51. Not recommended for XJ Cherokee or Comanche with 3 leaf springs.
59. You must use soft-valved RS5000 shock absorbers listed. Corresponding RS9000X's must be set on 1 or 2.
60. Not recommended on vehicles without power steering.
61. Rear block kit, Part No. RS73044 may be required. If RS73044 is used, Shock RS5118 will be required.
64. RS1902 adjustable torque rod S-link kit is required.
66. This kit does not fit vehicles which are equipped with factory high rider package (IRH) or vehicles with an aftermarket pitman arm with more than 1  $\frac{1}{4}$ " off-set.
70. RS5600 series shocks are 1  $\frac{5}{8}$ " bore.
77. RS1802 Kicker Shock fits 1984-1986 Toyota only after the removal of the welded-on bump stop striker plate located on the frame and installation of Rancho Bump Stop included in RS1802 Kit.
79. Our torsion bars are heavy duty to resist sag when adjusted to maximum height. Vehicle may not be raised, and rear Add-A-Leaf may not be needed.
80. Most CJ2A, CJ3A, CJ3B, MB, M38, M38A1 have a sideways U-type shackle which must be upgraded to plate-type shackle. Our shackle kit also includes the urethane bushings for your frame. Since stock bushings are usually worn, our shackle kit Part No. RS6636 is highly recommended (one kit per axle).
81. Front kit Part No. RS726 includes two tie rod ends Part No. RS7600.
83. Jeeps use stock location with no drilling.
84. This kit will not fit vehicles which have a vacuum servo mounted on drivers side of the front axle.
88. Kit includes front and rear U-bolts.
89. Hole drilling or bracket modifications may be required on some vehicles.
91. Kit includes both front and rear U-bolt kits. U-bolts are  $\frac{5}{8}$ ", you will have to drill your spring plates.
92. Factory rear springs must have a flat measurement eye to eye of 52". Some heavy duty rear springs measure 56" flat and cannot be replaced.
95. Rancho rear block kit RS82054 may be required for this application.
96. This is a unique 2 leaf Add-A-Leaf system that raises the vehicle approximately 1" - 2", depending upon options.
100. Except dual rear wheels
101. Rancho U-bolt Kit RS722 may be required if dual Add-A-Leaf's are installed on 1980 and newer vehicles.
102. This system is only sold as a complete kit! Individual components will not be sold separately. For warranty of individual components, send component directly to Rancho's Technical Department and a replacement part will be sent out immediately.
107. Kit includes the (2) RS5006 add-on position shocks.
109. For optimum system performance, we strongly recommend that this kit be used in conjunction with Rancho Torsion Bars.
110. RS619 torsion bar kit is required.
112. Dana has no outer lip on the rear cover. Chrysler does have an outer on the rear cover.
114. For use on stock vehicle, use adaptor kit RS6614.
118. For installation of 33" tires use Bump Stop Spacer Kit RS744.
119. For installation of 33" tires use Bump Stop Spacer Kit RS8229.
120. Camber adjustment may not be possible on some raised vehicles. RS6406 coil springs will only work on raised vehicles.
122. Requires O.E. replacement bushings.
123. Most 92-96 fullsize 4WD Bronco and F-150 trucks are equipped with the lower mount of the factory quad shock option, which is needed to mount our RS97489, RS98508, RS5565 & RS5566 steering stabilizer systems.
124. If vehicle has 2  $\frac{1}{2}$ " wide leaf springs, use Bracket Kit RS50616.
125. '87 and newer may only restore stock height.
126. 460 gas with Super Cab or accessories like a winch, etc. Call for application.
128. Sway Bar Mount Spacer Kit No. RS8228 required with automatic transmission.
131. Height may be taller for non-race prepared vehicles.
114. Some earlier model vehicles require newer alignment eccentrics.
132. These leaf springs do not come with bushings. Bushings are in front Kit RS6444.
133. Transfer case Lowering Kit No. RS6641 may be required on some vehicles.
134. Wranglers with "Off-Road Suspension" option (code AWE) will be 1" less. Also, vehicles with a hard top &/or a V-8 may not achieve full raised height.
135. Exhaust modification may be necessary.
139. DO NOT use with composite spring.
140. Use RS6676 Heavy Duty Upper & Lower Link System for improved cornering and overall handling characteristics on stock height vehicles.
142. Front upper and lower link kit, replacement for stock links.
145. Optional Skid Plate Kit Part No. RS1625 is recommended for on/off road use, it will only fit with Rancho Suspension System.
146. Optional Upper Link Kit for added performance and handling.
148. Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints.
149. This unit installs in an auxiliary position and may be used in conjunction with the O.E.M. position stabilizer.
150. This component is optional, and is recommended for optimum performance.

152. This is a spring-seat shock absorber.
153. At this time, this system is NOT approved for installation on the following: vehicles with dual rear wheels, vehicles with a rear drive shaft carrier bearing, or vehicles equipped with a diesel engine.
154. Exhaust modification is required, check local laws regarding exhaust modification prior to installation.
155. Part number RS40054S may be substituted for RS86206 applications. This spring will give a firmer ride and will have limited suspension travel.
156. These springs are not designed for hauling.
161. 95 and later Grand Cherokees (ZJ) front driveshaft replacement. Driveshafts that measure over 24 1/2", No change required. Driveshafts that measure from 20" up to 24 1/2", May require a change. Test drive vehicle, change to Spicer type if a vibration is present. Driveshafts that measure under 20", Must change to a Spicer type. CAUTION: VEHICLES WITH A DRIVESHAFT UNDER 20" MAY STILL EXPERIENCE A VIBRATION EVEN AFTER CHANGING TO A SPICER-TYPE DRIVESHAFT.



162. May substitute Add-A-Leaf RS60611 with 3 leaf rear spring (94-early 96 only).
163. Spring Seat Shock included in front kit.
167. See Shock Absorber Section for Shock Application.
173. 1996 & 1997 Model years REQUIRE 88025-REV. C or later installation instructions.
177. Remove and replace #2 leaf.
182. Has grease fittings.
184. 4 leaf only.
185. Except 4000 lb front axle.
186. Will NOT Fit Vehicles with Rack and Pinion Steering.
187. Will NOT FIT vehicles with OE Pitman Arm YC35-3590-AA. This part number is on the Pitman Arm.
189. Will FIT vehicles with OE Pitman Arm YC35-3590-AA. This part number is on the Pitman Arm.
190. Aft Subframe Braces RS6643 are available for additional support for off-road use.
192. Front Driveshaft vibration may occur in 4 W.D. only. A replacement driveshaft (part no. 3194-1000) is available from: Powertrain Industries, Inc. 7532 Anthony Ave. Garden Grove, CA 92841. Toll Free: 1-800-798-4585. Email: sales@powertrainindustries.com.
197. Ford F150's which have a ("L" - shape bolt pattern for the transmission cross member must use the RS6489 Primary Suspension System; triangular bolt pattern use RS6488 Primary Suspension System.



199. This system cannot be used with any wheel with backspacing that exceeds 4.5" and/or the wheel diameter is less than 16".

200. Steering arm may contact shock body on RS99113 & RS99119 on FJ43 & FJ45. Install shock boot towards ground for additional clearance.
201. On 1976-81 CJ5, CJ7, Scrambler 2 1/2" Suspension System RS99119 may be to short and you must use RS99113 with Bump Stop Kit No. RS8203.
202. Optional Skid Plate can be purchased separately.
203. RS6740 or RS6741 Bracket Kit includes four RS5298 shocks.
205. Ford Superduties are equipped from the factory with either a "tall" (3.7") rear block or a "short" (1.9") rear block. Rancho offers three different choices to accommodate this option.
  1. RS44154: Soft ride rear leaf spring is designed to add up to 1" of rear height.
  2. R80053: Rear block kit adds 2 1/2" to rear height on vehicles equipped with the O.E. "short" block and 1" to vehicles equipped with O.E. "tall" block.
  3. RS60642: Rear add-a-leaf kit is designed to add up to 2" of rear height.
206. Installation of this suspension system on 99 and later vehicle equipped with full-time 4WD (A4WD) may provide a slightly more noticeable level of driveline vibration. To offset any driveline vibration, replacement front driveshaft (part number 3191-1001) is available from: Powertrain Industries, Inc. 7532 Anthony Ave. Garden Grove, CA 92841. Toll Free: 1-800-798-4585. Email: sales@powertrainindustries.com.
207. Springs are not included with this system and must be ordered separately.
208. This system does not allow the reuse of O.E. factory 15" wheels.
209. New upper ball joints are not included with this suspension kit but are required to complete the installation, reference instruction sheet for complete listing.
210. Some vehicles may experience a rear driveshaft vibration. A replacement rear double-cardan driveshaft for Rubicons only (part number 3394-0100) is available from: Powertrain Industries, Inc. 7532 Anthony Ave. Garden Grove, CA 92841. Toll Free: 1-800-798-4585. Email: sales@powertrainindustries.com.
211. RS40054S may be used as a HD replacement.
212. Adjustable height coil-over unit.
213. Does not work on vehicles equipped with OE radiator skin plate.
214. Does NOT fit vehicles equipped with the Off-Road Suspension package.
- A3. New Part Number Available Third Quarter
- PS. Rancho RS9000X Pro-Series shock absorber.
- Q2. Qty. Req. 2
- Q4. Qty. Req. 4
  - New Part Number, Check availability before placing order.
  - Installation of this system does not allow the re-use of OE (factory) wheels.